



#### **CERTIFICATE OF ACCREDITATION**

#### STEDRANT TECHNOCLINIC PRIVATE LIMITED

has been assessed and accredited in accordance with the standard

**ISO/IEC 17025:2017** 

# "General Requirements for the Competence of Testing & Calibration Laboratories"

for its facilities at

SHED NO. F-3/A, ROAD NO.10, IDA NACHARAM, HYDERABAD, TELANGANA, INDIA

in the field of

**TESTING** 

**Certificate Number:** 

TC-7523

**Issue Date:** 

04/07/2022

Valid Until:

03/07/2024

This certificate remains valid for the Scope of Accreditation as specified in the annexure subject to continued satisfactory compliance to the above standard & the relevant requirements of NABL.

(To see the scope of accreditation of this laboratory, you may also visit NABL website www.nabl-india.org)

Name of Legal Entity: STEDRANT TECHNOCLINIC PRIVATE LIMITED

Signed for and on behalf of NABL



N. Venkateswaran Chief Executive Officer





#### SCOPE OF ACCREDITATION

**Laboratory Name:** 

STEDRANT TECHNOCLINIC PRIVATE LIMITED, SHED NO. F-3/A, ROAD NO.10, IDA

NACHARAM, HYDERABAD, TELANGANA, INDIA

**Accreditation Standard** 

ISO/IEC 17025:2017

TC-7523

**Certificate Number** 

**Validity** 

04/07/2022 to 03/07/2024

Page No

1 of 11

| S.No | Discipline / Group             | Materials or Products tested | Component, parameter or<br>characteristic tested /<br>Specific Test Performed /<br>Tests or type of tests<br>performed | Test Method Specification<br>against which tests are<br>performed and / or the<br>techniques / equipment<br>used |
|------|--------------------------------|------------------------------|--|--|
|      |                                | Permanent Facility           |  |  |
| 1    | CHEMICAL- BUILDING<br>MATERIAL | ADMIXTURE                    | Ash Content  | IS 9013  |
| 2    | CHEMICAL- BUILDING<br>MATERIAL | ADMIXTURE                    | Chloride Content   | IS 6925  |
| 3    | CHEMICAL- BUILDING<br>MATERIAL | ADMIXTURE                    | Dry Material Content   | IS 9013  |
| 4    | CHEMICAL- BUILDING<br>MATERIAL | ADMIXTURE                    | рН   | IS 9103  |
| 5    | CHEMICAL- BUILDING<br>MATERIAL | ADMIXTURE                    | Relative Density   | IS 9103  |
| 6    | CHEMICAL- BUILDING<br>MATERIAL | Coarse & Fine                | Alkali Aggregate Reactivity -<br>Dissolved Silica  | IS 2386 (Part-7)   |
| 7    | CHEMICAL- BUILDING<br>MATERIAL | Coarse & Fine                | Alkali Aggregate Reactivity -<br>Reduction in Alkalinity   | IS 2386 (Part-7)   |
| 8    | CHEMICAL- BUILDING<br>MATERIAL | Coarse & Fine                | Chloride   | EN 1744-1  |
| 9    | CHEMICAL- BUILDING<br>MATERIAL | Coarse & Fine                | Organic Impurities   | IS 2386 (Part-2)   |
| 10   | CHEMICAL- BUILDING<br>MATERIAL | Coarse & Fine                | Soundness  | IS 2386 (Part-5)   |
| 11   | CHEMICAL- BUILDING<br>MATERIAL | Coarse & Fine                | Sulphate   | EN 1744-1  |
| 12   | CHEMICAL- BUILDING<br>MATERIAL | Fly Ash                      | Available Alkalies - Potassium<br>Oxide (K2O)  | IS 3812 (Part-1)   |
| 13   | CHEMICAL- BUILDING<br>MATERIAL | Fly Ash                      | Available Alkalies - Sodium<br>Oxide (Na2O)  | IS 3812 (Part-1)   |
| 14   | CHEMICAL- BUILDING<br>MATERIAL | Fly Ash                      | CaO Content  | IS 1727  |
| 15   | CHEMICAL- BUILDING<br>MATERIAL | Fly Ash                      | Chloride   | IS 4032  |
| 16   | CHEMICAL- BUILDING<br>MATERIAL | Fly Ash                      | Iron Oxide   | IS 1727  |
| 17   | CHEMICAL- BUILDING<br>MATERIAL | Fly Ash                      | Loss on Ignition   | IS 1727  |
| 18   | CHEMICAL- BUILDING<br>MATERIAL | Fly Ash                      | Magnesia (MgO)   | IS 1727  |





#### SCOPE OF ACCREDITATION

**Laboratory Name:** 

STEDRANT TECHNOCLINIC PRIVATE LIMITED, SHED NO. F-3/A, ROAD NO.10, IDA

NACHARAM, HYDERABAD, TELANGANA, INDIA

**Accreditation Standard** 

ISO/IEC 17025:2017

**Certificate Number** 

TC-7523

Page No

2 of 11

**Validity** 

04/07/2022 to 03/07/2024

| S.No | Discipline / Group             | Materials or Products tested         | Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed | Test Method Specification<br>against which tests are<br>performed and / or the<br>techniques / equipment<br>used |
|------|--------------------------------|--------------------------------------|--|--|
| 19   | CHEMICAL- BUILDING<br>MATERIAL | Fly Ash                              | Silica Content (SiO2)  | IS 1727  |
| 20   | CHEMICAL- BUILDING<br>MATERIAL | Fly Ash                              | Silicon dioxide + Aluminum<br>Oxide + Ferric Oxide   | IS 1727  |
| 21   | CHEMICAL- BUILDING<br>MATERIAL | Fly Ash                              | Sulphuric Anhydride (SO3)  | IS 1727  |
| 22   | CHEMICAL- BUILDING<br>MATERIAL | Ground Granulated Blast Furnace      | Alumina (Al2O3)  | IS 4032  |
| 23   | CHEMICAL- BUILDING<br>MATERIAL | Ground Granulated Blast Furnace Slag | Insoluble Residue  | IS 4032  |
| 24   | CHEMICAL- BUILDING<br>MATERIAL | Ground Granulated Blast Furnace Slag | Iron Oxide (Fe2O3)   | IS 4032  |
| 25   | CHEMICAL- BUILDING<br>MATERIAL | Ground Granulated Blast Furnace Slag | Lime (CaO)   | IS 4032  |
| 26   | CHEMICAL- BUILDING<br>MATERIAL | Ground Granulated Blast Furnace Slag | Magnesia (MgO)   | IS 4032  |
| 27   | CHEMICAL- BUILDING<br>MATERIAL | Ground Granulated Blast Furnace Slag | Manganese Oxide  | IS 4032  |
| 28   | CHEMICAL- BUILDING<br>MATERIAL | Ground Granulated Blast Furnace Slag | Silica Content (SiO2)  | IS 4032  |
| 29   | CHEMICAL- BUILDING<br>MATERIAL | Ground Granulated Blast Furnace Slag | Sulphide Sulphur   | IS 4032  |
| 30   | CHEMICAL- BUILDING<br>MATERIAL | HARDENED CONCRETE / MORTAR           | Chloride   | IS 14959 (Part-2)  |
| 31   | CHEMICAL- BUILDING<br>MATERIAL | HARDENED CONCRETE / MORTAR           | рН   | IS 2720 (Part-26)  |
| 32   | CHEMICAL- BUILDING<br>MATERIAL | HARDENED CONCRETE / MORTAR           | Sulphates  | BS: 1881 (Part-124)  |
| 33   | CHEMICAL- BUILDING<br>MATERIAL | OPC 33, 43 & 53 Grade                | Alkalies - Sodium Oxide(Na2O)  | IS 4032  |
| 34   | CHEMICAL- BUILDING<br>MATERIAL | OPC 33, 43 & 53 Grade                | Alkalis - Potassium Oxide(K2O)   | IS 4032  |
| 35   | CHEMICAL- BUILDING<br>MATERIAL | OPC 33, 43 & 53 Grade                | Aluminum Oxide   | IS 4032  |
| 36   | CHEMICAL- BUILDING<br>MATERIAL | OPC 33, 43 & 53 Grade                | Calcium oxide Content  | IS 4032  |
| 37   | CHEMICAL- BUILDING<br>MATERIAL | OPC 33, 43 & 53 Grade                | Chloride   | IS 4032  |





#### SCOPE OF ACCREDITATION

**Laboratory Name:** 

STEDRANT TECHNOCLINIC PRIVATE LIMITED, SHED NO. F-3/A, ROAD NO.10, IDA

NACHARAM, HYDERABAD, TELANGANA, INDIA

**Accreditation Standard** 

ISO/IEC 17025:2017

**Certificate Number** 

TC-7523

3 of 11

**Validity** 

04/07/2022 to 03/07/2024

**Last Amended on** 

Page No

| S.No | Discipline / Group             | Materials or Products tested             | Component, parameter or<br>characteristic tested /<br>Specific Test Performed /<br>Tests or type of tests<br>performed | Test Method Specification<br>against which tests are<br>performed and / or the<br>techniques / equipment<br>used |
|------|--------------------------------|--|--|--|
| 38   | CHEMICAL- BUILDING<br>MATERIAL | OPC 33, 43 & 53 Grade                    | Ferric Oxide   | IS 4032  |
| 39   | CHEMICAL- BUILDING<br>MATERIAL | OPC 33, 43 & 53 Grade                    | Insoluble Residue  | IS 4032  |
| 40   | CHEMICAL- BUILDING<br>MATERIAL | OPC 33, 43 & 53 Grade                    | Loss on Ignition   | IS 4032  |
| 41   | CHEMICAL- BUILDING<br>MATERIAL | OPC 33, 43 & 53 Grade                    | Magnesia (MgO)   | IS 4032  |
| 42   | CHEMICAL- BUILDING<br>MATERIAL | OPC 33, 43 & 53 Grade                    | Silica Content as Si02   | IS 4032  |
| 43   | CHEMICAL- BUILDING<br>MATERIAL | OPC 33, 43 & 53 Grade                    | Sulphuric Anhydride (SO3)  | IS 4032  |
| 44   | CHEMICAL- BUILDING<br>MATERIAL | PPC                                      | Chloride   | IS 4032  |
| 45   | CHEMICAL- BUILDING<br>MATERIAL | PPC                                      | Insoluble Residue  | IS 4032  |
| 46   | CHEMICAL- BUILDING<br>MATERIAL | PPC                                      | Loss on Ignition   | IS 4032  |
| 47   | CHEMICAL- BUILDING<br>MATERIAL | PPC                                      | Magnesia (MgO)   | IS 4032  |
| 48   | CHEMICAL- BUILDING<br>MATERIAL | PPC                                      | Sulphuric Anhydride (SO3)  | IS 4032  |
| 49   | CHEMICAL- METALS & ALLOYS      | Ferrous Materials Base - Low Alloy Steel | Aluminium  | IS 8811  |
| 50   | CHEMICAL- METALS & ALLOYS      | Ferrous Materials Base - Low Alloy Steel | Carbon   | IS 8811  |
| 51   | CHEMICAL- METALS & ALLOYS      | Ferrous Materials Base - Low Alloy Steel | Chromium   | IS 8811  |
| 52   | CHEMICAL- METALS & ALLOYS      | Ferrous Materials Base - Low Alloy Steel | Copper   | IS 8811  |
| 53   | CHEMICAL- METALS & ALLOYS      | Ferrous Materials Base - Low Alloy Steel | Manganese  | IS 8811  |
| 54   | CHEMICAL- METALS & ALLOYS      | Ferrous Materials Base - Low Alloy Steel | Molybdenum   | IS 8811  |
| 55   | CHEMICAL- METALS & ALLOYS      | Ferrous Materials Base - Low Alloy Steel | Nickel   | IS 8811  |
| 56   | CHEMICAL- METALS & ALLOYS      | Ferrous Materials Base - Low Alloy Steel | Phosphorus   | IS 8811  |





#### **SCOPE OF ACCREDITATION**

**Laboratory Name:** 

STEDRANT TECHNOCLINIC PRIVATE LIMITED, SHED NO. F-3/A, ROAD NO.10, IDA

NACHARAM, HYDERABAD, TELANGANA, INDIA

**Accreditation Standard** 

ISO/IEC 17025:2017

TC-7523

**Certificate Number** 

04/07/2022 to 03/07/2024

Page No

4 of 11

**Validity** 

| S.No | Discipline / Group                 | Materials or Products tested             | Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed | Test Method Specification<br>against which tests are<br>performed and / or the<br>techniques / equipment<br>used |
|------|------------------------------------|--|--|--|
| 57   | CHEMICAL- METALS & ALLOYS          | Ferrous Materials Base - Low Alloy Steel | Silicon  | IS 8811  |
| 58   | CHEMICAL- METALS & ALLOYS          | Ferrous Materials Base - Low Alloy Steel | Sulphur  | IS 8811  |
| 59   | CHEMICAL- WATER                    | Water for construction purpose           | Chloride Content as CL   | IS 3025 (Part-32)  |
| 60   | CHEMICAL- WATER                    | Water for construction purpose           | Inorganic Solids(Fixed Residue)  | IS 3025 (Part-18)  |
| 61   | CHEMICAL- WATER                    | Water for construction purpose           | Organic Solids (Volatile<br>Residue)   | IS 3025 (Part-18)  |
| 62   | CHEMICAL- WATER                    | Water for construction purpose           | рН   | IS 3025 (Part-11)  |
| 63   | CHEMICAL- WATER                    | Water for construction purpose           | Sulphate content as SO3  | IS 3025 (Part-24)  |
| 64   | CHEMICAL- WATER                    | Water for construction purpose           | Total Suspended Solids   | IS 3025 (Part-17)  |
| 65   | CHEMICAL- WATER                    | Water for construction purpose           | Volume of 0.02N H2SO4 to<br>neutralize 100ml of sample<br>(Alkalinity)                                     | IS 3025 (Part-23)  |
| 66   | CHEMICAL- WATER                    | Water for construction purpose           | Volume of 0.02N NaOH to<br>neutralize 100 ml of sample<br>(Acidity)  | IS 3025 (Part-22)  |
| 67   | MECHANICAL- BUILDINGS<br>MATERIALS | AUTOCLAVED AREATED CONCRETE BLOCKS       | BLOCK DENSITY  | IS 6441 (PART 1)   |
| 68   | MECHANICAL- BUILDINGS<br>MATERIALS | AUTOCLAVED AREATED CONCRETE BLOCKS       | COMPRESSIVE STRENGTH   | IS 6441 (PART 5)   |
| 69   | MECHANICAL- BUILDINGS<br>MATERIALS | BITUMEN EMULSION                         | COAGULATION OF EMULSION  | IS 8887  |
| 70   | MECHANICAL- BUILDINGS<br>MATERIALS | BITUMEN EMULSION                         | MISCIBILITY WITH WATER   | IS 8887  |
| 71   | MECHANICAL- BUILDINGS<br>MATERIALS | BITUMEN EMULSION                         | RESIDUE BY EVAPORATION   | IS 8887  |
| 72   | MECHANICAL- BUILDINGS<br>MATERIALS | BITUMEN EMULSION                         | RESIDUE ON 600 MICRONS   | IS 8887  |
| 73   | MECHANICAL- BUILDINGS<br>MATERIALS | BITUMINOUS MIX                           | BINDER CONTENT   | ASTM D 2172/ D2172M  |
| 74   | MECHANICAL- BUILDINGS<br>MATERIALS | BITUMINOUS MIX                           | DENSITY  | ASTM D 2726  |
| 75   | MECHANICAL- BUILDINGS<br>MATERIALS | BITUMINOUS MIX                           | MARSHAL STABILITY  | ASTM D 6927  |
| 76   | MECHANICAL- BUILDINGS<br>MATERIALS | BRICKS                                   | COMPRESSIVE STRENGTH   | IS 3495 (PART 1)   |





#### **SCOPE OF ACCREDITATION**

**Laboratory Name:** 

STEDRANT TECHNOCLINIC PRIVATE LIMITED, SHED NO. F-3/A, ROAD NO.10, IDA

NACHARAM, HYDERABAD, TELANGANA, INDIA

**Accreditation Standard** 

ISO/IEC 17025:2017

**Certificate Number** 

TC-7523

Page No

5 of 11

**Validity** 

04/07/2022 to 03/07/2024

| S.No | Discipline / Group                 | Materials or Products tested        | Component, parameter or<br>characteristic tested /<br>Specific Test Performed /<br>Tests or type of tests<br>performed | Test Method Specification<br>against which tests are<br>performed and / or the<br>techniques / equipment<br>used |
|------|------------------------------------|-------------------------------------|--|--|
| 77   | MECHANICAL- BUILDINGS<br>MATERIALS | BRICKS                              | EFFLORESCENCE  | IS 3495 (PART 3)   |
| 78   | MECHANICAL- BUILDINGS<br>MATERIALS | BRICKS                              | WATER ABSORPTION   | IS 3495 (PART 2)   |
| 79   | MECHANICAL- BUILDINGS<br>MATERIALS | BURNT CLAY HOLLOW BRICKS AND BLOCKS | COMPRESSIVE STRENGTH   | IS 3952 (ANNEXURE A)   |
| 80   | MECHANICAL- BUILDINGS<br>MATERIALS | BURNT CLAY HOLLOW BRICKS AND BLOCKS | WATER ABSORPTION   | IS 3952 (ANNEXURE B)   |
| 81   | MECHANICAL- BUILDINGS<br>MATERIALS | COARSE AGGREGATE                    | 10 % FINE'S VALUE  | IS 2386 (PART 4)   |
| 82   | MECHANICAL- BUILDINGS<br>MATERIALS | COARSE AGGREGATE                    | BULK DENSITY (LOOSE)   | IS 2386 (PART 3)   |
| 83   | MECHANICAL- BUILDINGS<br>MATERIALS | COARSE AGGREGATE                    | BULK DENSITY (RODDED)  | IS 2386 (PART 3)   |
| 84   | MECHANICAL- BUILDINGS<br>MATERIALS | COARSE AGGREGATE                    | CRUSHING VALUE   | IS 2386 (PART 4)   |
| 85   | MECHANICAL- BUILDINGS<br>MATERIALS | COARSE AGGREGATE                    | ELONGATION INDEX   | IS 2386 (PART 1)   |
| 86   | MECHANICAL- BUILDINGS<br>MATERIALS | COARSE AGGREGATE                    | FLAKINESS INDEX  | IS 2386 (PART 1)   |
| 87   | MECHANICAL- BUILDINGS<br>MATERIALS | COARSE AGGREGATE                    | IMPACT VALUE   | IS 2386 (PART 4)   |
| 88   | MECHANICAL- BUILDINGS<br>MATERIALS | COARSE AGGREGATE                    | LOS ANGELES ABRASION<br>VALUE  | IS 2386 (PART 4)   |
| 89   | MECHANICAL- BUILDINGS<br>MATERIALS | COARSE AGGREGATE                    | MATERIAL FINER THAN 75 MICRONS   | IS 2386 (PART 1)   |
| 90   | MECHANICAL- BUILDINGS<br>MATERIALS | COARSE AGGREGATE                    | SIEVE ANALYSIS   | IS 2386 (PART 1)   |
| 91   | MECHANICAL- BUILDINGS<br>MATERIALS | COARSE AGGREGATE                    | SPECIFIC GRAVITY   | IS 2386 (PART 3)   |
| 92   | MECHANICAL- BUILDINGS<br>MATERIALS | COARSE AGGREGATE                    | WATER ABSORPTION   | IS 2386 (PART 3)   |
| 93   | MECHANICAL- BUILDINGS<br>MATERIALS | CONCRETE BEAMS                      | FLEXURAL STRENGTH  | IS 516 (Part 1/ Sec. 1)  |
| 94   | MECHANICAL- BUILDINGS<br>MATERIALS | CONCRETE CORES                      | COMPRESSIVE STRENGTH   | IS 516 (PART 4)  |
| 95   | MECHANICAL- BUILDINGS<br>MATERIALS | CONCRETE CUBES                      | COMPRESSIVE STRENGTH   | IS 516 (Part 1/ Sec. 1)  |





#### SCOPE OF ACCREDITATION

**Laboratory Name:** 

STEDRANT TECHNOCLINIC PRIVATE LIMITED, SHED NO. F-3/A, ROAD NO.10, IDA

NACHARAM, HYDERABAD, TELANGANA, INDIA

**Accreditation Standard** 

ISO/IEC 17025:2017

**Certificate Number** 

**Validity** 

TC-7523

Page No

6 of 11

04/07/2022 to 03/07/2024 **Last Amended on** 

| S.No | Discipline / Group                 | Materials or Products tested   | Component, parameter or<br>characteristic tested /<br>Specific Test Performed /<br>Tests or type of tests<br>performed | Test Method Specification<br>against which tests are<br>performed and / or the<br>techniques / equipment<br>used |
|------|------------------------------------|--------------------------------|--|--|
| 96   | MECHANICAL- BUILDINGS<br>MATERIALS | CONCRETE CYLINDERS             | MODULUS OF ELASTICITY  | IS 516   |
| 97   | MECHANICAL- BUILDINGS<br>MATERIALS | CONCRETE CYLINDERS             | SPLITTING TENSILE STRENGTH   | IS 516 (Part 1/ Sec. 1)  |
| 98   | MECHANICAL- BUILDINGS<br>MATERIALS | CONCRETE MIX                   | CONSISTENCY  | IS 1199 PART 2   |
| 99   | MECHANICAL- BUILDINGS<br>MATERIALS | FINE AGGREGATE                 | BULK DENSITY (LOOSE)   | IS 2386 (PART 3)   |
| 100  | MECHANICAL- BUILDINGS<br>MATERIALS | FINE AGGREGATE                 | BULK DENSITY (RODDED)  | IS 2386 (PART 3)   |
| 101  | MECHANICAL- BUILDINGS<br>MATERIALS | FINE AGGREGATE                 | BULKING  | IS 2386 (PART 3)   |
| 102  | MECHANICAL- BUILDINGS<br>MATERIALS | FINE AGGREGATE                 | MATERIAL FINER THAN 75<br>MICRONS  | IS 2386 (PART 1)   |
| 103  | MECHANICAL- BUILDINGS<br>MATERIALS | FINE AGGREGATE                 | SIEVE ANALYSIS   | IS 2386 (PART 1)   |
| 104  | MECHANICAL- BUILDINGS<br>MATERIALS | FINE AGGREGATE                 | SPECIFIC GRAVITY   | IS 2386 (PART 3)   |
| 105  | MECHANICAL- BUILDINGS<br>MATERIALS | FINE AGGREGATE                 | WATER ABSORPTION   | IS 2386 (PART 3)   |
| 106  | MECHANICAL- BUILDINGS<br>MATERIALS | HOLLOW / SOLID CONCRETE BLOCKS | BLOCK DENSITY  | IS 2185 (PART 1) Annexure E  |
| 107  | MECHANICAL- BUILDINGS<br>MATERIALS | HOLLOW / SOLID CONCRETE BLOCKS | COMPRESSIVE STRENGTH   | IS 2185 (PART 1) Annexure D  |
| 108  | MECHANICAL- BUILDINGS<br>MATERIALS | HOLLOW / SOLID CONCRETE BLOCKS | DIMENSIONAL ANALYSIS   | IS 2185 (PART 1) Annexure B  |
| 109  | MECHANICAL- BUILDINGS<br>MATERIALS | HOLLOW / SOLID CONCRETE BLOCKS | WATER ABSORPTION   | IS 2185 (PART 1)   |
| 110  | MECHANICAL- BUILDINGS<br>MATERIALS | HYDRAULIC CEMENT               | COMPRESSIVE STRENGTH   | IS 4031 (PART 6)   |
| 111  | MECHANICAL- BUILDINGS<br>MATERIALS | HYDRAULIC CEMENT               | CONSISTENCY  | IS 4031 (PART 4)   |
| 112  | MECHANICAL- BUILDINGS<br>MATERIALS | HYDRAULIC CEMENT               | DENSITY  | IS 4031 (PART 11)  |
| 113  | MECHANICAL- BUILDINGS<br>MATERIALS | HYDRAULIC CEMENT               | FINAL SETTING TIME   | IS 4031 (PART 5)   |
| 114  | MECHANICAL- BUILDINGS<br>MATERIALS | HYDRAULIC CEMENT               | FINENESS (BLAINE'S METHOD)   | IS 4031 (PART 2)   |





#### SCOPE OF ACCREDITATION

**Laboratory Name:** 

STEDRANT TECHNOCLINIC PRIVATE LIMITED, SHED NO. F-3/A, ROAD NO.10, IDA

NACHARAM, HYDERABAD, TELANGANA, INDIA

**Accreditation Standard** 

ISO/IEC 17025:2017

TC-7523

**Certificate Number** 

Page No

7 of 11

Validity

04/07/2022 to 03/07/2024

**Last Amended on** 

\_

| S.No | Discipline / Group                 | Materials or Products tested  | Component, parameter or<br>characteristic tested /<br>Specific Test Performed /<br>Tests or type of tests<br>performed | Test Method Specification<br>against which tests are<br>performed and / or the<br>techniques / equipment<br>used |
|------|------------------------------------|---|--|--|
| 115  | MECHANICAL- BUILDINGS<br>MATERIALS | HYDRAULIC CEMENT  | INITIAL SETTING TIME   | IS 4031 (PART 5)   |
| 116  | MECHANICAL- BUILDINGS<br>MATERIALS | HYDRAULIC CEMENT  | SOUNDNESS (By Autoclave method)  | IS 4031 (PART 3)   |
| 117  | MECHANICAL- BUILDINGS<br>MATERIALS | HYDRAULIC CEMENT  | SOUNDNESS (By Le-Chatelier method)   | IS 4031 (PART 3)   |
| 118  | MECHANICAL- BUILDINGS<br>MATERIALS | PAVER BLOCKS  | COMPRESSIVE STRENGTH   | IS 15658   |
| 119  | MECHANICAL- BUILDINGS<br>MATERIALS | PAVER BLOCKS  | WATER ABSORPTION   | IS 15658   |
| 120  | MECHANICAL- BUILDINGS<br>MATERIALS | POZZOLANA-FLY ASH, SILICA FUME, GGBS, ALCCOFINE   | SPECIFIC GRAVITY   | IS 1727  |
| 121  | MECHANICAL- BUILDINGS<br>MATERIALS | POZZOLANA-FLYASH, GGBS  | FINENESS (BLAINE'S METHOD)   | IS 1727  |
| 122  | MECHANICAL- BUILDINGS<br>MATERIALS | POZZOLANA-FLYASH, SILICA FUME, ALCCOFINE, GGBS  | RESIDUE ON 45 MICRON SIEVE   | IS 1727  |
| 123  | MECHANICAL- BUILDINGS<br>MATERIALS | SELF COMPACTING CONCRETE MIX  | FLOW TEST  | IS 1199 PART 6   |
| 124  | MECHANICAL- BUILDINGS<br>MATERIALS | SELF COMPACTING CONCRETE MIX  | V FUNNEL   | IS 1199 PART 6   |
| 125  | MECHANICAL- BUILDINGS<br>MATERIALS | VISCOSITY GRADE BITUMEN, CRUMB RUBBER MODIFIED<br>BITUMEN, POLYMER MODIFIED BITUMEN, NATURAL RUBBER<br>MODIFIED BITUMEN | KINEMATIC VISCOSITY @ 135°C and 150 °C   | IS 1206 (Part 3)   |
| 126  | MECHANICAL- BUILDINGS<br>MATERIALS | VISCOSITY GRADE BITUMEN, CRUMB RUBBER MODIFIED<br>BITUMEN, POLYMER MODIFIED BITUMEN, NATURAL RUBBER<br>MODIFIED BITUMEN | LOSS ON HEATING  | IS 1212  |
| 127  | MECHANICAL- BUILDINGS<br>MATERIALS | VISCOSITY GRADE BITUMEN, CRUMB RUBBER MODIFIED<br>BITUMEN, POLYMER MODIFIED BITUMEN, NATURAL RUBBER<br>MODIFIED BITUMEN | Specific Gravity   | IS 1202  |
| 128  | MECHANICAL- BUILDINGS<br>MATERIALS | VISCOSITY GRADE BITUMEN, CRUMB RUBBER MODIFIED<br>BITUMEN, POLYMER MODIFIED BITUMEN, NATURAL RUBBER<br>MODIFIED BITUMEN | ABSOLUTE VISCOSITY @ 60°C  | IS 1206 (PART 2)   |
| 129  | MECHANICAL- BUILDINGS<br>MATERIALS | VISCOSITY GRADE BITUMEN, CRUMB RUBBER MODIFIED<br>BITUMEN, POLYMER MODIFIED BITUMEN, NATURAL RUBBER<br>MODIFIED BITUMEN | DUCTILITY  | IS 1208  |
| 130  | MECHANICAL- BUILDINGS<br>MATERIALS | VISCOSITY GRADE BITUMEN, CRUMB RUBBER MODIFIED<br>BITUMEN, POLYMER MODIFIED BITUMEN, NATURAL RUBBER<br>MODIFIED BITUMEN | ELASTIC RECOVERY   | IS 15462 ANNEX A   |





#### SCOPE OF ACCREDITATION

**Laboratory Name:** 

STEDRANT TECHNOCLINIC PRIVATE LIMITED, SHED NO. F-3/A, ROAD NO.10, IDA

NACHARAM, HYDERABAD, TELANGANA, INDIA

**Accreditation Standard** 

ISO/IEC 17025:2017

**Certificate Number** 

TC-7523

8 of 11

**Validity** 

04/07/2022 to 03/07/2024

**Last Amended on** 

Page No

| S.No | Discipline / Group                                | Materials or Products tested  | Component, parameter or<br>characteristic tested /<br>Specific Test Performed /<br>Tests or type of tests<br>performed | Test Method Specification<br>against which tests are<br>performed and / or the<br>techniques / equipment<br>used |
|------|---|---|--|--|
| 131  | MECHANICAL- BUILDINGS<br>MATERIALS                | VISCOSITY GRADE BITUMEN, CRUMB RUBBER MODIFIED<br>BITUMEN, POLYMER MODIFIED BITUMEN, NATURAL RUBBER<br>MODIFIED BITUMEN | FLASH POINT  | IS 1209  |
| 132  | MECHANICAL- BUILDINGS<br>MATERIALS                | VISCOSITY GRADE BITUMEN, CRUMB RUBBER MODIFIED<br>BITUMEN, POLYMER MODIFIED BITUMEN, NATURAL RUBBER<br>MODIFIED BITUMEN | MATTER SOLUBLE IN TCE  | IS 1216  |
| 133  | MECHANICAL- BUILDINGS<br>MATERIALS                | VISCOSITY GRADE BITUMEN, CRUMB RUBBER MODIFIED<br>BITUMEN, POLYMER MODIFIED BITUMEN, NATURAL RUBBER<br>MODIFIED BITUMEN | PENETRATION  | IS 1203  |
| 134  | MECHANICAL- BUILDINGS<br>MATERIALS                | VISCOSITY GRADE BITUMEN, CRUMB RUBBER MODIFIED<br>BITUMEN, POLYMER MODIFIED BITUMEN, NATURAL RUBBER<br>MODIFIED BITUMEN | SOFTENING POINT  | IS 1205  |
| 135  | MECHANICAL-<br>MECHANICAL PROPERTIES<br>OF METALS | HIGH STRENGTH DEFORMED STEEL BARS AND WIRES FOR CONCRETE REINFORCEMENT  | 0.2 % PROOF STRESS   | IS 1608-Part I   |
| 136  | MECHANICAL-<br>MECHANICAL PROPERTIES<br>OF METALS | HIGH STRENGTH DEFORMED STEEL BARS AND WIRES FOR CONCRETE REINFORCEMENT  | BEND TEST  | IS 1599  |
| 137  | MECHANICAL-<br>MECHANICAL PROPERTIES<br>OF METALS | HIGH STRENGTH DEFORMED STEEL BARS AND WIRES FOR CONCRETE REINFORCEMENT  | ELONGATION   | IS 1608 - Part I   |
| 138  | MECHANICAL-<br>MECHANICAL PROPERTIES<br>OF METALS | HIGH STRENGTH DEFORMED STEEL BARS AND WIRES FOR CONCRETE REINFORCEMENT  | MASS / METER   | IS 1786  |
| 139  | MECHANICAL-<br>MECHANICAL PROPERTIES<br>OF METALS | HIGH STRENGTH DEFORMED STEEL BARS AND WIRES FOR CONCRETE REINFORCEMENT  | RE-BEND TEST   | IS 1786  |
| 140  | MECHANICAL-<br>MECHANICAL PROPERTIES<br>OF METALS | HIGH STRENGTH DEFORMED STEEL BARS AND WIRES FOR CONCRETE REINFORCEMENT  | TENSILE STRENGTH   | IS 1608 - Part -1  |
| 141  | MECHANICAL-<br>MECHANICAL PROPERTIES<br>OF METALS | STEEL TUBES   | ELONGATION   | IS 1608 (PART 1)   |
| 142  | MECHANICAL-<br>MECHANICAL PROPERTIES<br>OF METALS | STEEL TUBES   | MASS PER METER RUN   | IS 1239 / IS 1161  |
| 143  | MECHANICAL-<br>MECHANICAL PROPERTIES<br>OF METALS | STEEL TUBES   | TENSILE STRENGTH   | IS 1608 (PART 1)   |
| 144  | MECHANICAL-<br>MECHANICAL PROPERTIES<br>OF METALS | STEEL TUBES   | YIELD STRESS   | IS 1608 (PART 1)   |





#### SCOPE OF ACCREDITATION

**Laboratory Name:** 

STEDRANT TECHNOCLINIC PRIVATE LIMITED, SHED NO. F-3/A, ROAD NO.10, IDA

NACHARAM, HYDERABAD, TELANGANA, INDIA

**Accreditation Standard** 

ISO/IEC 17025:2017

**Certificate Number** 

TC-7523

9 of 11

**Validity** 

04/07/2022 to 03/07/2024

Last A

Page No

| S.No | Discipline / Group                                | Materials or Products tested  | Component, parameter or<br>characteristic tested /<br>Specific Test Performed /<br>Tests or type of tests<br>performed | Test Method Specification<br>against which tests are<br>performed and / or the<br>techniques / equipment<br>used |
|------|---|---|--|--|
| 145  | MECHANICAL-<br>MECHANICAL PROPERTIES<br>OF METALS | STRUCTURAL STEEL  | BEND TEST  | IS 1599  |
| 146  | MECHANICAL-<br>MECHANICAL PROPERTIES<br>OF METALS | STRUCTURAL STEEL  | ELONGATION   | IS 1608 - Part - I   |
| 147  | MECHANICAL-<br>MECHANICAL PROPERTIES<br>OF METALS | STRUCTURAL STEEL  | TENSILE STRENGTH   | IS 1608 - Part -I  |
| 148  | MECHANICAL-<br>MECHANICAL PROPERTIES<br>OF METALS | STRUCTURAL STEEL  | WEIGHT / METER   | IS 808   |
| 149  | MECHANICAL-<br>MECHANICAL PROPERTIES<br>OF METALS | STRUCTURAL STEEL  | YIELD STRESS   | IS 1608 - Part - I   |
| 150  | MECHANICAL-<br>MECHANICAL PROPERTIES<br>OF METALS | Uncoated Stress Relieved Low Relaxation 7-ply Strand for Prestressed concrete | 0.2 % PROOF LOAD   | is 14268   |
| 151  | MECHANICAL-<br>MECHANICAL PROPERTIES<br>OF METALS | Uncoated Stress Relieved Low Relaxation 7-ply Strand for Prestressed concrete | BREAKING LOAD  | IS 14268   |
| 152  | MECHANICAL-<br>MECHANICAL PROPERTIES<br>OF METALS | Uncoated Stress Relieved Low Relaxation 7-ply Strand for Prestressed concrete | Elongation   | is 14268   |
| 153  | MECHANICAL-<br>MECHANICAL PROPERTIES<br>OF METALS | Uncoated Stress Relieved Low Relaxation 7-ply Strand for Prestressed concrete | Lay Length   | IS 14268   |
| 154  | MECHANICAL-<br>MECHANICAL PROPERTIES<br>OF METALS | Uncoated Stress Relieved Low Relaxation 7-ply Strand for Prestressed concrete | NOMINAL AREA   | IS 14268   |
| 155  | MECHANICAL-<br>MECHANICAL PROPERTIES<br>OF METALS | Uncoated Stress Relieved Low Relaxation 7-ply Strand for Prestressed concrete | UNIT WEIGHT  | IS 14268   |
| 156  | MECHANICAL- SOIL AND ROCK                         | NATURAL BUILDING STONE  | COMPRESSIVE STRENGTH   | IS 1121 (PART 1)   |
| 157  | MECHANICAL- SOIL AND<br>ROCK                      | NATURAL BUILDING STONE  | TRUE SPECIFIC GRAVITY  | IS 1122  |
| 158  | MECHANICAL- SOIL AND<br>ROCK                      | NATURAL BUILDING STONE  | WATER ABSORPTION   | IS 1124  |
| 159  | MECHANICAL- SOIL AND<br>ROCK                      | ROCK  | DENSITY  | IS 13030   |





#### SCOPE OF ACCREDITATION

**Laboratory Name:** 

STEDRANT TECHNOCLINIC PRIVATE LIMITED, SHED NO. F-3/A, ROAD NO.10, IDA

NACHARAM, HYDERABAD, TELANGANA, INDIA

**Accreditation Standard** 

ISO/IEC 17025:2017

TC-7523

**Certificate Number** 

**Validity** 

04/07/2022 to 03/07/2024

Page No

10 of 11

| S.No | Discipline / Group           | Materials or Products tested                       | Component, parameter or<br>characteristic tested /<br>Specific Test Performed /<br>Tests or type of tests<br>performed | Test Method Specification<br>against which tests are<br>performed and / or the<br>techniques / equipment<br>used |
|------|------------------------------|--|--|--|
| 160  | MECHANICAL- SOIL AND ROCK    | ROCK   | UNCONFINED COMPRESSIVE STRENGTH  | IS 9143  |
| 161  | MECHANICAL- SOIL AND ROCK    | ROCK   | WATER CONTENT  | IS 13030   |
| 162  | MECHANICAL- SOIL AND ROCK    | SOIL / GRANULAR SUB BASE / WET MIX MACADAM         | FREE SWELL INDEX   | IS 2720 (PART 40)  |
| 163  | MECHANICAL- SOIL AND ROCK    | SOIL / GRANULAR SUB BASE / WET MIX MACADAM         | LIGHT COMPACTION (MDD)   | IS 2720 (PART 7)   |
| 164  | MECHANICAL- SOIL AND ROCK    | SOIL / GRANULAR SUB BASE / WET MIX MACADAM         | LIGHT COMPACTION (OMC)   | IS 2720 (PART 7)   |
| 165  | MECHANICAL- SOIL AND ROCK    | SOIL / GRANULAR SUB BASE / WET MIX MACADAM         | MOISTURE CONTENT   | IS 2720 (PART 2)   |
| 166  | MECHANICAL- SOIL AND ROCK    | SOIL / GRANULAR SUB BASE / WET MIX MACADAM         | SPECIFIC GRAVITY   | IS 2720 (PART 3 / SECTION 1)   |
| 167  | MECHANICAL- SOIL AND ROCK    | SOIL / GRANULAR SUB BASE / WET MIX MACADAM/BLANKET | CALIFORNIA BEARING RATIO (CBR)   | IS 2720 (PART 16)  |
| 168  | MECHANICAL- SOIL AND ROCK    | SOIL / GRANULAR SUB BASE / WET MIX MACADAM/BLANKET | GRAIN SIZE ANALYSIS  | IS 2720 (PART 4)   |
| 169  | MECHANICAL- SOIL AND ROCK    | SOIL / GRANULAR SUB BASE / WET MIX MACADAM/BLANKET | HEAVY COMPACTION (MDD)   | IS 2720 (PART 8)   |
| 170  | MECHANICAL- SOIL AND ROCK    | SOIL / GRANULAR SUB BASE / WET MIX MACADAM/BLANKET | HEAVY COMPACTION (OMC)   | IS 2720 (PART 8)   |
| 171  | MECHANICAL- SOIL AND<br>ROCK | SOIL / GRANULAR SUB BASE / WET MIX MACADAM/BLANKET | LIQUID LIMIT   | IS 2720 (PART 5)   |
| 172  | MECHANICAL- SOIL AND ROCK    | SOIL / GRANULAR SUB BASE / WET MIX MACADAM/BLANKET | PARTICLE SIZE ANALYSIS (By<br>Hydrometer method)   | IS 2720 (PART 4)   |
| 173  | MECHANICAL- SOIL AND ROCK    | SOIL / GRANULAR SUB BASE / WET MIX MACADAM/BLANKET | PLASTIC LIMIT  | IS 2720 (PART 5)   |





#### SCOPE OF ACCREDITATION

**Laboratory Name:** 

STEDRANT TECHNOCLINIC PRIVATE LIMITED, SHED NO. F-3/A, ROAD NO.10, IDA

NACHARAM, HYDERABAD, TELANGANA, INDIA

**Accreditation Standard** 

ISO/IEC 17025:2017

**Certificate Number** 

TC-7523

Page No

11 of 11

**Validity** 

04/07/2022 to 03/07/2024

| characteristic tested /<br>Specific Test Performed /<br>Tests or type of tests<br>performed | Test Method Specification<br>against which tests are<br>performed and / or the<br>techniques / equipment<br>used |
|---|--|
|---|--|

| S.No | Discipline / Group  | Materials or Products tested               | characteristic tested /<br>Specific Test Performed /<br>Tests or type of tests<br>performed | against which tests are<br>performed and / or the<br>techniques / equipment<br>used |
|------|---|--|---|---|
|      |   | Site Facility                              |   |   |
| 1    | MECHANICAL- SOIL AND ROCK   | SOIL / GRANULAR SUB BASE / WET MIX MACADAM | FIELD DENSITY (By Core Cutter method)   | IS 2720 (PART 29)   |
| 2    | MECHANICAL- SOIL AND ROCK   | SOIL / GRANULAR SUB BASE / WET MIX MACADAM | FIELD DENSITY (By Sand<br>Replacement Method)   | IS 2720 (PART 28)   |
| 3    | NON-DESTRUCTIVE-<br>BUILDING MATERIALS -<br>REINFORCED CONCRETE<br>STRUCTURES | Reinforced Concrete Structures             | Carbonation   | BS EN 14630   |
| 4    | NON-DESTRUCTIVE-<br>BUILDING MATERIALS -<br>REINFORCED CONCRETE<br>STRUCTURES | Reinforced Concrete Structures             | Cover Meter   | BS 1881 (Part 204)  |
| 5    | NON-DESTRUCTIVE-<br>BUILDING MATERIALS -<br>REINFORCED CONCRETE<br>STRUCTURES | Reinforced Concrete Structures             | Deflection Measurement Data<br>(Load Test)  | IS 456, Clause 17.6   |
| 6    | NON-DESTRUCTIVE-<br>BUILDING MATERIALS -<br>REINFORCED CONCRETE<br>STRUCTURES | Reinforced Concrete Structures             | Half-Cell Potential Difference  | ASTM C 876  |
| 7    | NON-DESTRUCTIVE-<br>BUILDING MATERIALS -<br>REINFORCED CONCRETE<br>STRUCTURES | Reinforced Concrete Structures             | Rebound Hammer  | IS 13311 (Part 2)   |
| 8    | NON-DESTRUCTIVE-<br>BUILDING MATERIALS -<br>REINFORCED CONCRETE<br>STRUCTURES | Reinforced Concrete Structures             | Ultrasonic Pulse Velocity   | IS 516 (Part 5 / Sec 1)   |